

New Jersey Division of HIV/AIDS Services
Persons Living with HIV/AIDS as of June 30, 2004
Millville Residents

1. Current HIV/AIDS Category	Adult/Adolescent *		Pediatric *		Total	
	Cases	%	Cases	%	Cases	%
-----	----	---	-----	----	-----	---
AIDS-Any OI	13	19	0	.	13	19
AIDS-CD4 Only	27	40	0	.	27	40
HIV Only	28	41	0	.	28	41
-----	----	---	-----	----	-----	---
Total	68	100	0	.	68	100

2. Current Age *			3. Race/Eth.	Adult/Adl*		Pediatric*		Total	
Cases	%			Cases	%	Cases	%	Cases	%
-----	-----	---	-----	-----	---	-----	---	-----	---
<5	0	0	White, Not Hispanic	28	41	0	.	28	41
5-12	0	0	Black, Not Hispanic	26	38	0	.	26	38
13-19	#	#	Hispanic	13	19	0	.	13	19
20-29	#	#	Other/Unknown	#	#	0	.	#	#
30-39	18	26	-----	-----	---	-----	---	-----	---
40-49	33	49	Total	68	100	0	.	68	100
50+	12	18							
Unk.	0	0							
-----	-----	---							
Total	68	100							

4. Patient Group	Adult/Adolescent Transmission Modes **					
	Males		Females		Total	
	%		%		%	
-----	-----	-----	-----	-----	-----	
Men sex with men (MSM)	11	27	0	0	11	16
Injection drug user (IDU)	11	27	11	41	22	32
MSM/IDU	#	#	0	0	#	#
Heterosexual contact	6	15	12	44	18	26
Risk not reported/other***	#	#	#	#	#	#
-----	-----	-----	-----	-----	-----	
Total	41	100	27	100	68	100

	Pediatric Transmission Modes					
	Males	%	Females	%	Total	%
-----	-----	---	-----	---	-----	---
Parent at risk/has AIDS/HIV	0	.	0	.	0	.
Risk not reported/other***	0	.	0	.	0	.
-----	-----	---	-----	---	-----	---
Total	0	.	0	.	0	.

NOTE: Includes only those persons known to be infected with HIV.

Indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.

* Classification based on current age at the end of June 2004.

** 0 patients are currently of adult/adolescent age (13+ years old), but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1,2, and 3, and as pediatric reports in table 4.

*** Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of HIV/AIDS Services
AIDS Cases Reported as of June 30, 2004
Millville Residents

1. Disease Category	Adult/Adolescent*		Deaths (%)	Pediatric*		Deaths (%)	Total	
	Cases	(%)		Cases	(%)		Cases	(%)
PCP	16	(20)	10 (63)	0	(0)	0 (.)	16	(20)
Other OI w/o PCP	23	(29)	16 (70)	0	(0)	0 (.)	23	(28)
KS Alone	#	(#)	# (#)	#	(#)	0 (.)	#	(#)
No Disease Listed	#	(#)	# (#)	#	(#)	0 (.)	#	(#)
Total	80	(100)	41 (55)	#	(#)	0 (.)	81	(100)

2. Age *	Cases		3. Race/Eth.	Adult/Adl*		Pediatric*		Total	
	Cases	%		Cases	%	Cases	%	Cases	%
Under 5	0	0	White, Not Hispanic	31	39	0	0	31	38
5-12	#	#	Black, Not Hispanic	#	#	#	#	34	42
13-19	#	#	Hispanic	#	#	#	#	16	20
20-29	14	17	Other/Unknown	0	0	0	0	0	0
30-39	42	52	-----	-----	---	-----	---	-----	---
40-49	16	20	Total	80	100	#	#	81	100
Over 49	7	9							
Unknown	0	0							
Total	81	100							

4. Patient Group	Adult/Adolescent Transmission Modes **					
	Males	%	Females	%	Total	%
Men sex with men (MSM)	16	29	0	0	16	20
Injection drug user (IDU)	21	38	12	46	33	41
MSM/IDU	#	#	0	0	#	#
Heterosexual contact	6	11	10	38	16	20
Risk not reported/other***	#	#	#	#	#	#
Total	55	100	26	100	81	100

	Pediatric Transmission Modes					
	Males	%	Females	%	Total	%
Parent at risk/has AIDS/HIV	0	.	0	.	0	.
Risk not reported/other***	0	.	0	.	0	.
Total	0	.	0	.	0	.

indicates that number is not shown due to small cell size,
in accordance with NJDHSS security and confidentiality policies.

* Classification at time of AIDS diagnosis.

** # patients were diagnosed with AIDS as adults, but have evidence either of having been HIV-infected or of having acquired AIDS as children. They are counted as adult/adolescent reports in tables 1,2, and 3; and as pediatric reports in table 4.

*** Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of HIV/AIDS Services
AIDS Cases Reported as of June 30, 2004
Millville Residents

5. AIDS Cases by Year of Diagnosis.

Year of Diagnosis -----	Number of Cases -----	Number of Deaths -----	Case-Fatality Rate -----
Before 1985	#	#	#
1985	#	#	#
1987	#	#	#
1989	#	#	#
1990	#	#	#
1991	#	#	#
1992	5	5	100%
1993	8	8	100%
1994	5	#	#
1995	10	5	50%
1996	11	#	#
1997	#	#	#
1998	#	#	#
1999	#	#	#
2000	7	0	0%
2001	#	#	#
2002	#	#	#
2003	#	#	#
2004	#	#	#
-----	-----	-----	-----
Total	81	41	51%